

Ceiling inlets


# PVH

Ceiling inlet horizontal PVH



- ✓ Horizontal air control due to curved flap
- ✓ Optimal air control due to curved flap
- ✓ Self-opening
- ✓ Insulated flap

### Suitable sectors



### Options



Type	Installation dimensions (mm)			Net surface	Capacity (m3/hr)			Pull force	Stroke length
	W	H	L		10 Pa	20 Pa	30 Pa		
PVH-E-2400	320 mm	100 mm	600 mm	1456 cm <sup>2</sup>	1800	2400	3050	1.5 kg	320 mm
PVH-E-3400	370 mm	100 mm	700 mm	2046 cm <sup>2</sup>	2550	3400	4300	2 kg	370 mm
PVH-E-4500	420 mm	100 mm	800 mm	2736 cm <sup>2</sup>	3400	4500	5750	2.5 kg	420 mm
PVH-D-4800	600 mm	100 mm	600 mm	2912 cm <sup>2</sup>	3650	4800	6100	3 kg	320 mm
PVH-D-6750	700 mm	100 mm	700 mm	4092 cm <sup>2</sup>	5100	6750	8600	4 kg	370 mm
PVH-D-9050	800 mm	100 mm	800 mm	5472 cm <sup>2</sup>	6850	9050	11500	5 kg	420 mm

### Available dimensions

Length	200-1120 mm	In steps of 1 mm
Width	320-800 mm	320/370/420/600/700/800 mm
Height	100-500 mm	In steps of 25 mm

